

## ARG11082 Goat anti-Monkey IgM (Fc) antibody (FITC)

Package: 500 µl  
Store at: 4°C

### Summary

Product Description	FITC-conjugated Goat Polyclonal antibody recognizes Monkey IgM (Fc)
Tested Reactivity	Bb, Mk
Predict Reactivity	Hu, Chimp
Tested Application	ELISA, ICC/IF, IHC-Fr
Specificity	The antibody is directed to the Fc subunit of the Monkey IgM molecule. The antibody does not react with IgG, IgG/Fab fragments and IgA or any non-Ig protein in monkey serum. Precipitation reactions have been observed with immunoglobulins in serum of other old-world monkeys, including cercopithecus, cynomolgus and baboon. The product may also react with other species as has been observed for chimpanzee and man.
Host	Goat
Clonality	Polyclonal
Isotype	IgG
Target Name	IgM (Fc)
Immunogen	Purified IgM isolated from Rhesus monkey serum.
Conjugation	FITC

### Application Instructions

Application table	Application	Dilution
	ELISA	Assay-dependent
	ICC/IF	Assay-dependent
	IHC-Fr	Assay-dependent
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

### Properties

Form	Liquid
Purification	Purified
Buffer	PBS (pH 7.2)
Storage instruction	Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.