

## ARG21922 Goat anti-Bovine IgG (H+L) antibody

Package: 1 mg  
Store at: -20°C

### Summary

Product Description	Goat Polyclonal antibody recognizes Bovine IgG (H+L)
Tested Reactivity	Bov
Tested Application	ELISA, FACS, FLISA, ICC/IF, IP, Puri, WB
Specificity	Reacts with the heavy and light chains of bovine IgG
Host	Goat
Clonality	Polyclonal
Isotype	IgG
Target Name	IgG (H+L)
Species	Bovine
Conjugation	Un-conjugated

### Application Instructions

Application table	Application	Dilution
	ELISA	Assay-dependent
	FACS	Assay-dependent
	FLISA	Assay-dependent
	ICC/IF	Assay-dependent
	IP	Assay-dependent
	Puri	Assay-dependent
	WB	Assay-dependent

**Application Note** \* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.

### Properties

Form	Liquid
Purification	Affinity purification with immunogen.
Buffer	BBS (pH 8.2)
Concentration	1 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

**Note**

For laboratory research only, not for drug, diagnostic or other use.