

ARG22153 anti-CD3 epsilon antibody [UCHT1] (PE-Cyanine 5)

Package: 50 tests Store at: 4°C

Summary

Product DescriptionPE-Cyanine 5-conjugated Mouse Monoclonal antibody [UCHT1] recognizes CD3 epsilonTested ReactivityHuTested ApplicationBL, Cell-Act , FACS, ICC/IF, IHC-Fr, IHC-P, WBSpecificityHuman CD3 epsilonHostMouseClonalityMonoclonalCloneUCHT1IsotypeIgG1, kappaTarget NameCD3 epsilonSpeciesHumanHuman peripheral blood lymphocytes from a patient with Sézary's syndrome and infant thymocytesConjugationPE-Cyanine 5Alternate NamesCD3E; CD3 Epsilon Subunit Of T-Cell Receptor Complex; T-Cell Surface Glycoprotein CD3 Epsilon Chain; CD3e Antigen, Epsilon CD3-TCR Complex); CD3-EpSilon; CD3-EpSILON; CD3EPSILON		
Tested ApplicationBL, Cell-Act , FACS, ICC/IF, IHC-Fr, IHC-P, WBSpecificityHuman CD3 epsilonHostMouseClonalityMonoclonalCloneUCHT1IsotypeIgG1, kappaTarget NameCD3 epsilonSpeciesHuman peripheral blood lymphocytes from a patient with Sézary's syndrome and infant thymocytesConjugationPE-Cyanine 5Alternate NamesCD3E; CD3 Epsilon Subunit Of T-Cell Receptor Complex; T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3e Antigen, Epsilon Polypeptide (TIT3 Complex); T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3E	Product Description	PE-Cyanine 5-conjugated Mouse Monoclonal antibody [UCHT1] recognizes CD3 epsilon
SpecificityHuman CD3 epsilonHostMouseClonalityMonoclonalCloneUCHT1IsotypeIgG1, kappaTarget NameCD3 epsilonSpeciesHumanImmunogenHuman peripheral blood lymphocytes from a patient with Sézary's syndrome and infant thymocytesConjugationPE-Cyanine 5Alternate NamesCD3E; CD3 Epsilon Subunit Of T-Cell Receptor Complex; T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3-epsilon; T3E; T-Cell Antigen Receptor Complex); CD3-epsilon; CD3-epsilon; T3E; T-Cell Antigen Receptor Complex); CD3-epsilon; CD3-epsilon; T3E; T-Cell Antigen Receptor Complex); CD3-epsilon; C	Tested Reactivity	Hu
HostMouseClonalityMonoclonalCloneUCHT1IsotypeIgG1, kappaTarget NameCD3 epsilonSpeciesHumanImmunogenHuman peripheral blood lymphocytes from a patient with Sézary's syndrome and infant thymocytesConjugationCD3E; CD3 Epsilon Subunit Of T-Cell Receptor Complex; T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3E Molecule, Epsilon (CD3-TCR Complex); CD3-Epsilon; CD3epsilon; T3E; T-Cell Antigen Receptor Complex	Tested Application	BL, Cell-Act , FACS, ICC/IF, IHC-Fr, IHC-P, WB
ClonalityMonoclonalCloneUCHT1IsotypeIgG1, kappaTarget NameCD3 epsilonSpeciesHumanImmunogenHuman peripheral blood lymphocytes from a patient with Sézary's syndrome and infant thymocytesConjugationPE-Cyanine 5Alternate NamesCD3E; CD3 Epsilon Subunit Of T-Cell Receptor Complex; T-Cell Surface Glycoprotein CD3 Epsilon Chain; CD3e Antigen, Epsilon Polypeptide (TiT3 Complex); T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3e Molecule, Epsilon (CD3-TCR Complex); CD3-Epsilon; CD3epsilon; T3E; T-Cell Antigen Receptor Complex, Strong Polypeptide (Tita Complex); CD3-Epsilon; CD3-Epsilon	Specificity	Human CD3 epsilon
CloneUCHT1IsotypeIgG1, kappaTarget NameCD3 epsilonSpeciesHumanImmunogenHuman peripheral blood lymphocytes from a patient with Sézary's syndrome and infant thymocytesConjugationPE-Cyanine 5Alternate NamesCD3E; CD3 Epsilon Subunit Of T-Cell Receptor Complex; T-Cell Surface Glycoprotein CD3 Epsilon Chain; CD3e Antigen, Epsilon Polypeptide (TiT3 Complex); T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3e Molecule, Epsilon (CD3-TCR Complex); CD3-Epsilon; CD3epsilon; T3E; T-Cell Antigen Receptor Complex,	Host	Mouse
IsotypeIgG1, kappaTarget NameCD3 epsilonSpeciesHumanImmunogenHuman peripheral blood lymphocytes from a patient with Sézary's syndrome and infant thymocytesConjugationPE-Cyanine 5Alternate NamesCD3E; CD3 Epsilon Subunit Of T-Cell Receptor Complex; T-Cell Surface Glycoprotein CD3 Epsilon Chain; CD3e Molecule, Epsilon Polypeptide (TiT3 Complex); T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3e Molecule, Epsilon (CD3-TCR Complex); CD3-Epsilon; T3E; T-Cell Antigen Receptor Complex,	Clonality	Monoclonal
Target NameCD3 epsilonSpeciesHumanImmunogenHuman peripheral blood lymphocytes from a patient with Sézary's syndrome and infant thymocytesConjugationPE-Cyanine 5Alternate NamesCD3E; CD3 Epsilon Subunit Of T-Cell Receptor Complex; T-Cell Surface Glycoprotein CD3 Epsilon Chain; CD3e Antigen, Epsilon Polypeptide (TiT3 Complex); T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3e Molecule, Epsilon (CD3-TCR Complex); CD3-Epsilon; T3E; T-Cell Antigen Receptor Complex,	Clone	UCHT1
SpeciesHumanImmunogenHuman peripheral blood lymphocytes from a patient with Sézary's syndrome and infant thymocytesConjugationPE-Cyanine 5Alternate NamesCD3E; CD3 Epsilon Subunit Of T-Cell Receptor Complex; T-Cell Surface Glycoprotein CD3 Epsilon Chain; CD3e Antigen, Epsilon Polypeptide (TiT3 Complex); T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3e Molecule, Epsilon (CD3-TCR Complex); CD3-Epsilon; T3E; T-Cell Antigen Receptor Complex,	Isotype	IgG1, kappa
ImmunogenHuman peripheral blood lymphocytes from a patient with Sézary's syndrome and infant thymocytesConjugationPE-Cyanine 5Alternate NamesCD3E; CD3 Epsilon Subunit Of T-Cell Receptor Complex; T-Cell Surface Glycoprotein CD3 Epsilon Chain; CD3e Antigen, Epsilon Polypeptide (TiT3 Complex); T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3e Molecule, Epsilon (CD3-TCR Complex); CD3-Epsilon; CD3epsilon; T3E; T-Cell Antigen Receptor Complex,	Target Name	CD3 epsilon
ConjugationPE-Cyanine 5Alternate NamesCD3E; CD3 Epsilon Subunit Of T-Cell Receptor Complex; T-Cell Surface Glycoprotein CD3 Epsilon Chain; CD3e Antigen, Epsilon Polypeptide (TiT3 Complex); T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3e Molecule, Epsilon (CD3-TCR Complex); CD3-Epsilon; CD3epsilon; T3E; T-Cell Antigen Receptor Complex,	Species	Human
Alternate Names CD3E; CD3 Epsilon Subunit Of T-Cell Receptor Complex; T-Cell Surface Glycoprotein CD3 Epsilon Chain; CD3e Antigen, Epsilon Polypeptide (TiT3 Complex); T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3e Molecule, Epsilon (CD3-TCR Complex); CD3-Epsilon; CD3epsilon; T3E; T-Cell Antigen Receptor Complex,	Immunogen	Human peripheral blood lymphocytes from a patient with Sézary's syndrome and infant thymocytes
CD3e Antigen, Epsilon Polypeptide (TiT3 Complex); T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3e Molecule, Epsilon (CD3-TCR Complex); CD3-Epsilon; CD3epsilon; T3E; T-Cell Antigen Receptor Complex,	Conjugation	PE-Cyanine 5
	Alternate Names	CD3e Antigen, Epsilon Polypeptide (TiT3 Complex); T-Cell Surface Antigen T3/Leu-4 Epsilon Chain; CD3e Molecule, Epsilon (CD3-TCR Complex); CD3-Epsilon; CD3epsilon; T3E; T-Cell Antigen Receptor Complex,

Application Instructions

Application table	Application	Dilution
	BL	Assay-dependent
	Cell-Act	Assay-dependent
	FACS	10 μl/10^6 cells
	ICC/IF	Assay-dependent
	IHC-Fr	Assay-dependent
	IHC-P	Assay-dependent
	WB	Assay-dependent
Application Note	* The dilutions indicate	precommended starting dilutions and the optimal dilutions or concentrations

Application Note

* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.

Properties

Form	Liquid
Buffer	PBS, 0.1% Sodium azide and Sucrose.

Preservative	0.1% Sodium azide
Stabilizer	Sucrose
Storage instruction	Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links	GeneID: 915 Human
	Swiss-port # P04234 Human
Gene Symbol	CD3E
Gene Full Name	CD3 Epsilon Subunit Of T-Cell Receptor Complex
Background	The protein encoded by this gene is the CD3-epsilon polypeptide, which together with CD3-gamma, -delta and -zeta, and the T-cell receptor alpha/beta and gamma/delta heterodimers, forms the T-cell receptor-CD3 complex. This complex plays an important role in coupling antigen recognition to several intracellular signal-transduction pathways. The genes encoding the epsilon, gamma and delta polypeptides are located in the same cluster on chromosome 11. The epsilon polypeptide plays an essential role in T-cell development. Defects in this gene cause immunodeficiency. This gene has also been linked to a susceptibility to type I diabetes in women.
Function	Part of the TCR-CD3 complex present on T-lymphocyte cell surface that plays an essential role in adaptive immune response. When antigen presenting cells (APCs) activate T-cell receptor (TCR), TCR-mediated signals are transmitted across the cell membrane by the CD3 chains CD3D, CD3E, CD3G and CD3Z. All CD3 chains contain immunoreceptor tyrosine-based activation motifs (ITAMs) in their cytoplasmic domain. Upon TCR engagement, these motifs become phosphorylated by Src family protein tyrosine kinases LCK and FYN, resulting in the activation of downstream signaling pathway.
Highlight	Related products: <u>CD3 antibodies;</u> <u>CD3 ELISA Kits;</u> <u>CD3 Duos / Panels;</u> Related news: <u>New antibody panels and duos for Tumor immune microenvironment</u> <u>Tumor-Infiltrating Lymphocytes (TILs)</u>
Research Area	Cancer antibody; Developmental Biology antibody; Immune System antibody; Lymphocyte Marker antibody; Inflammatory Cell Marker antibody; T-cell Marker antibody; T-cell infiltration Study antibody; Tumor-infiltrating Lymphocyte Study antibody
Calculated Mw	23 kDa
PTM	Disulfide bond, Phosphoprotein
Cellular Localization	Cell membrane, Membrane



ARG22153 anti-CD3 epsilon antibody [UCHT1] (PE-Cyanine 5) FACS image

Flow Cytometry: Human peripheral blood lymphocytes stained with ARG22153 anti-CD3 epsilon antibody [UCHT1] (PE-Cyanine 5) and ARG21260 anti-CD19 antibody [SJ25-C1] (PE).



ARG22153 anti-CD3 epsilon antibody [UCHT1] (PE-Cyanine 5) FACS image

Flow Cytometry: Human peripheral blood lymphocytes stained with ARG22153 anti-CD3 epsilon antibody [UCHT1] (PE-Cyanine 5).