

Product datasheet

info@arigobio.com

ARG23795 Goat anti-Mouse IgG (H+L) antibody (TRITC), pre-adsorbed

Package: 250 μg Store at: 4°C

Summary

Product Description TRITC-conjugated Goat Polyclonal antibody recognizes Mouse IgG (H+L)

Tested Reactivity Ms

Tested Application ELISA, FACS, FLISA, WB

Specificity Reacts with the heavy and light chains of mouse IgG1, IgG2a, IgG2b and IgG3, and with the light chains

of mouse IgM and IgA as demonstrated by ELISA, FLISA, and/or flow cytometry. Minimal cross reactivity

with rat immunoglobulins.

Host Goat

Clonality Polyclonal

Isotype IgG

Target Name IgG (H+L)

Species Mouse

Conjugation TRITC

Application Instructions

Pre Adsorbed	Rat immunoglobulins and pooled se	rn
Pre Ausorbeu	Kat illilliullogiobullis aliu pooleu se	ara.

Application table Application Dilution

ELISA	Assay-dependent
FACS	Assay-dependent
FLISA	1:100 - 1:400
WB	Assay-dependent

Application Note * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations

should be determined by the scientist.

Properties

Form Liquid

Purification Affinity purification with immunogen.

Buffer PBS and 0.1% Sodium azide.

Preservative 0.1% Sodium azide


Concentration 0.5 mg/ml

Storage instruction Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid

repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be

gently mixed before use.

Images



ARG23795 Goat anti-Mouse IgG (H+L) antibody (TRITC), preadsorbed ICC/IF image $\,$

Immunofluorescence: Human pancreatic carcinoma cell line MIA PaCa-2 was stained with Mouse anti-Cytokeratin 18 (right) followed by ARG23795 Goat anti-Mouse IgG (H+L) antibody (TRITC), preadsorbed and DAPI.