

ARG23915 anti-Albumin antibody (HRP)

Package: 1 ml
Store at: 4°C

Summary

Product Description	HRP-conjugated Goat Polyclonal antibody recognizes Albumin
Tested Reactivity	Hu
Tested Application	Dot, ELISA, ICC/IF, IHC-P, WB
Specificity	Inter-species cross-reactivity is a normal feature of antibodies to mammalian Serum proteins, since homologous proteins frequently share antigenic determinants. Cross-reactivity of this anti-Serum has not been tested in detail.
Host	Goat
Clonality	Polyclonal
Isotype	IgG
Target Name	Albumin
Species	Human
Immunogen	Human serum albumin.
Conjugation	HRP
Alternate Names	HSA; FDAH; PRO0883; PRO1341; Serum albumin; ANALBA; PRO0903

Application Instructions

Application table	Application	Dilution
	Dot	Assay-dependent
	ELISA	Assay-dependent
	ICC/IF	Assay-dependent
	IHC-P	Assay-dependent
	WB	Assay-dependent
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form	Liquid
Purification	Purified.
Buffer	PBS (pH 7.2)
Storage instruction	Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Bioinformation

Gene Symbol	ALB
Gene Full Name	albumin
Background	<p>Albumin is a soluble, monomeric protein which comprises about one-half of the blood serum protein. Albumin functions primarily as a carrier protein for steroids, fatty acids, and thyroid hormones and plays a role in stabilizing extracellular fluid volume. Albumin is a globular unglycosylated serum protein of molecular weight 65,000. Albumin is synthesized in the liver as preproalbumin which has an N-terminal peptide that is removed before the nascent protein is released from the rough endoplasmic reticulum. The product, proalbumin, is in turn cleaved in the Golgi vesicles to produce the secreted albumin. [provided by RefSeq, Jul 2008]</p>
Function	<p>Serum albumin, the main protein of plasma, has a good binding capacity for water, Ca(2+), Na(+), K(+), fatty acids, hormones, bilirubin and drugs. Its main function is the regulation of the colloidal osmotic pressure of blood. Major zinc transporter in plasma, typically binds about 80% of all plasma zinc. [UniProt]</p>
Calculated Mw	69 kDa
PTM	<p>Kenitra variant is partially O-glycosylated at Thr-620. It has two new disulfide bonds Cys-600 to Cys-602 and Cys-601 to Cys-606.</p> <p>Glycated in diabetic patients.</p> <p>Phosphorylated by FAM20C in the extracellular medium.</p> <p>Acetylated on Lys-223 by acetylsalicylic acid. [UniProt]</p>
Cellular Localization	Secreted. [UniProt]