

# Product datasheet

info@arigobio.com

ARG41216 anti-EDIL3 antibody

Package: 100 μl Store at: -20°C

### **Summary**

Product Description Rabbit Polyclonal antibody recognizes EDIL3

Tested Reactivity Hu, Ms

Tested Application ICC/IF, WB

Host Rabbit

Clonality Polyclonal

Isotype IgG

Target Name EDIL3

Species Human

Immunogen Synthetic peptide within aa. 350-450 of Human EDIL3 (NP\_005702.3).

Conjugation Un-conjugated

Alternate Names DEL1; EGF-like repeat and discoidin I-like domain-containing protein 3; Integrin-binding protein DEL1;

Developmentally-regulated endothelial cell locus 1 protein

# **Application Instructions**

Application table	Application	Dilution
	ICC/IF	1:50 - 1:200
	WB	1:500 - 1:2000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

# **Properties**

Form Liquid

Purification Affinity purified.

Buffer PBS (pH 7.3), 0.02% Sodium azide and 50% Glycerol.

Preservative 0.02% Sodium azide

Stabilizer 50% Glycerol

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

## Bioinformation

Gene Symbol EDIL3

Gene Full Name EGF-like repeats and discoidin I-like domains 3

Background The protein encoded by this gene is an integrin ligand. It plays an important role in mediating

angiogenesis and may be important in vessel wall remodeling and development. It also influences

endothelial cell behavior. [provided by RefSeq, Jul 2008]

Function Promotes adhesion of endothelial cells through interaction with the alpha-v/beta-3 integrin receptor.


Inhibits formation of vascular-like structures. May be involved in regulation of vascular morphogenesis

of remodeling in embryonic development. [UniProt]

Calculated Mw 54 kDa

Cellular Localization Secreted. [UniProt]

# **Images**



#### ARG41216 anti-EDIL3 antibody ICC/IF image

Immunofluorescence: U2OS cells stained with ARG41216 anti-EDIL3 antibody at 1:100 dilution.