

Product datasheet

info@arigobio.com

ARG42369 anti-DDIT4L antibody [DDIT-03]

Package: 100 μg Store at: -20°C

Summary

Product Description Mouse Monoclonal antibody [DDIT-03] recognizes DDIT4L

Tested Reactivity Hu

Tested Application FACS, IHC-P, WB

Specificity The mouse monoclonal antibody DDIT-03 recognizes DDIT4L / REDD2 protein, which belongs to

intracellular stress-induced proteins involved in mediation of cell death.

Host Mouse

Clonality Monoclonal

Clone DDIT-03

Isotype IgG1

Target Name DDIT4L

Species Human

Immunogen Recombinant fragment corresponding to aa. 2-98 of Human DDIT4L.

Conjugation Un-conjugated

Alternate Names REDD-2; Rtp801L; REDD2; DNA damage-inducible transcript 4-like protein; Protein regulated in

development and DNA damage response 2; HIF-1 responsive protein RTP801-like

Application Instructions

Application table	Application	Dilution
	FACS	1 - 4 μg/ml
	IHC-P	Assay-dependent.
	WB	Assay-dependent
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form	Liquid	
Purification	Purification with Protein A.	
Buffer	PBS and 15 mM Sodium azide.	
Preservative	15 mM Sodium azide	
Concentration	1 mg/ml	
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed	

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol DDIT4L

Gene Full Name DNA-damage-inducible transcript 4-like


Function Inhibits cell growth by regulating the TOR signaling pathway upstream of the TSC1-TSC2 complex and

downstream of AKT1. [UniProt]

Calculated Mw 22 kDa

Cellular Localization Cytoplasm. [UniProt]

Images



ARG42369 anti-DDIT4L antibody [DDIT-03] WB image

Western blot: DDIT4L-transfected HEK293 and non-transfected HEK293. Cell lysates were stained with ARG42369 anti-DDIT4L antibody [DDIT-03].