

ARG44246 anti-LIFR antibody [12D3] (PE)

Package: 100 µg
Store at: 4°C

Summary

Product Description	PE-conjugated Mouse Monoclonal antibody [12D3] recognizes LIFR
Tested Reactivity	Hu
Tested Application	FACS
Host	Mouse
Clonality	Monoclonal
Clone	12D3
Isotype	IgG1, kappa
Target Name	LIFR
Species	Human
Immunogen	CD118-Fc recombinant Protein
Conjugation	PE
Alternate Names	CD118; CD antigen CD118; STWS; SJS2; LIF receptor; Leukemia inhibitory factor receptor; SWS; LIF-R

Application Instructions

Application table	Application	Dilution
	FACS	4-10 µg/ml
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties


Form	Liquid
Purification	Purified
Buffer	PBS (pH 7.4) and 15 mM Sodium azide.
Preservative	15 mM Sodium azide
Concentration	0.1 mg/ml
Storage instruction	Aliquot and store in the dark at 4°C. Keep protected from prolonged exposure to light. Do not freeze. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol	LIFR
-------------	------

Gene Full Name	leukemia inhibitory factor receptor alpha
Background	This gene encodes a protein that belongs to the type I cytokine receptor family. This protein combines with a high-affinity converter subunit, gp130, to form a receptor complex that mediates the action of the leukemia inhibitory factor, a polyfunctional cytokine that is involved in cellular differentiation, proliferation and survival in the adult and the embryo. Mutations in this gene cause Schwartz-Jampel syndrome type 2, a disease belonging to the group of the bent-bone dysplasias. A translocation that involves the promoter of this gene, t(5;8)(p13;q12) with the pleiomorphic adenoma gene 1, is associated with salivary gland pleiomorphic adenoma, a common type of benign epithelial tumor of the salivary gland. Multiple splice variants encoding the same protein have been found for this gene. [provided by RefSeq, Jul 2008]
Function	Signal-transducing molecule. May have a common pathway with IL6ST. The soluble form inhibits the biological activity of LIF by blocking its binding to receptors on target cells. [UniProt]
Cellular Localization	Isoform 1: Cell membrane; Single-pass type I membrane protein. [UniProt]

Images



ARG44246 anti-LIFR antibody [12D3] (PE) FACS image

Flow Cytometry: JAR stained with ARG44246 anti-LIFR antibody [12D3] (PE) at 10 μ l / 100 μ l whole blood dilution.