

## ARG44312 anti-DCBLD2 antibody

Package: 50 µl  
Store at: -20°C

### Summary

Product Description	Rabbit Polyclonal antibody recognizes DCBLD2
Tested Reactivity	Hu, Ms, Rat
Tested Application	WB
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Target Name	DCBLD2
Species	Human
Immunogen	Synthetic peptide
Conjugation	Un-conjugated
Alternate Names	DCBLD2; Discoidin, CUB And LCCL Domain Containing 2; CLCP1; ESDN; CUB, LCCL And Coagulation Factor V/VIII-Homology Domains Protein 1; Endothelial And Smooth Muscle Cell-Derived Neuropilin-Like Protein; Discoidin, CUB And LCCL Domain-Containing Protein 2; Coagulation Factor V/VIII-Homology Domains Protein 1; 1700055P21Rik

### Application Instructions

Application table	<table> <tr> <th>Application</th><th>Dilution</th></tr> <tr> <td>WB</td><td>1:500-1:1000</td></tr> </table>	Application	Dilution	WB	1:500-1:1000
Application	Dilution				
WB	1:500-1:1000				
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.				

### Properties

Form	Liquid
Purification	Antigen Affinity Purified
Buffer	PBS with 0.02% Sodium azide
Preservative	0.02% Sodium azide
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

### Bioinformation

Gene Symbol	DCBLD2
Gene Full Name	Discoidin, CUB And LCCL Domain Containing 2
Background	Involved in negative regulation of cell growth and wound healing. Located in cell surface. Is integral component of plasma membrane.
Calculated Mw	85 kDa
PTM	Disulfide bond, Glycoprotein, Phosphoprotein
Cellular Localization	Membrane