

ARG55594 anti-OTX2 antibody [1313CT817.185.162]

Package: 100 µl
Store at: -20°C

Summary

Product Description	Mouse Monoclonal antibody recognizes OTX2
Tested Reactivity	Hu
Tested Application	WB
Host	Mouse
Clonality	Monoclonal
Clone	1313CT817.185.162
Isotype	IgG1, kappa
Target Name	OTX2
Species	Human
Immunogen	Recombinant protein from Human OTX2.
Conjugation	Un-conjugated
Alternate Names	Homeobox protein OTX2; MCOPS5; CPHD6; Orthodenticle homolog 2

Application Instructions

Application table	<table> <tr> <th>Application</th><th>Dilution</th></tr> <tr> <td>WB</td><td>1:2000</td></tr> </table>	Application	Dilution	WB	1:2000
Application	Dilution				
WB	1:2000				
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.				
Positive Control	Y79				


Properties

Form	Liquid
Purification	Purification with Protein G.
Buffer	PBS and 0.09% (W/V) Sodium azide
Preservative	0.09% (W/V) Sodium azide
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links	GeneID: 5015 Human Swiss-port # P32243 Human
Gene Symbol	OTX2
Gene Full Name	orthodenticle homeobox 2
Background	<p>This gene encodes a member of the bicoid subfamily of homeodomain-containing transcription factors. The encoded protein acts as a transcription factor and plays a role in brain, craniofacial, and sensory organ development. The encoded protein also influences the proliferation and differentiation of dopaminergic neuronal progenitor cells during mitosis. Mutations in this gene cause syndromic microphthalmia 5 (MCOPS5) and combined pituitary hormone deficiency 6 (CPHD6). This gene is also suspected of having an oncogenic role in medulloblastoma. Alternative splicing results in multiple transcript variants encoding distinct isoforms. Pseudogenes of this gene are known to exist on chromosomes two and nine. [provided by RefSeq, Jul 2012]</p>
Function	Probably plays a role in the development of the brain and the sense organs. Can bind to the BCD target sequence (BTS): 5'-TCTAATCCC-3'. [UniProt]
Research Area	Controls and Markers antibody; Developmental Biology antibody; Gene Regulation antibody; Neuroscience antibody
Calculated Mw	32 kDa
Cellular Localization	Nucleus.

Images



ARG55594 anti-OTX2 antibody WB image

Western blot: 35 µg of Y79 cell lysate stained with ARG55594 anti-OTX2 antibody at 1:1000 dilution.