

Product datasheet

info@arigobio.com

ARG55889 anti-5-HT / Serotonin antibody [YC5/45]

Package: 100 μl Store at: -20°C

Summary

Product Description Rat Monoclonal antibody [YC5/45] recognizes 5-HT / Serotonin

Tested Reactivity Hu, Ms, Rat, All

Tested Application ICC/IF, IHC-Fr, IHC-P

Specificity The antibody specifically recognizes the formaldehyde conjugate of serotonin. Without the

paraformaldehyde treatment, the antibody cross-reacts with dopamine and tryptamine in liquid phase haemagglutination tests. It does not react with catecholamine-containing neurons in formaldehyde fixed preparations. The antibody reacts with serotonin in neurons and recognises serotonergic sites in

fixed tissue sections.

Host Rat

Clonality Monoclonal

Clone YC5/45

Isotype IgG

Target Name 5-HT / Serotonin

Conjugation Un-conjugated

Alternate Names 5-hydroxytryptamine; 5-HT

Application Instructions

Application table	Application	Dilution
	ICC/IF	Assay-dependent
	IHC-Fr	1:100 - 1:200
	IHC-P	Assay-dependent
Application Note	Antibody reactivity and working conditions may vary between species. IHC-P: boiling the sections in Tris/EDTA-buffer (pH 9.0) IHC-Fr: formaldehyde or paraformaldehyde-fixed tissue is recommended. * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form	Liquid
Purification	Non Purified
Buffer	Tissue culture supernatants and 0.05% Thimerosal
Preservative	0.05% Thimerosal
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note

For laboratory research only, not for drug, diagnostic or other use.