

Product datasheet

info@arigobio.com

ARG56202 anti-Nuclear Marker antibody [NM106]

Package: 50 μg Store at: -20°C

Summary

Product Description Mouse Monoclonal antibody [NM106] recognizes Nuclear Marker

Tested Reactivity Hu, Rat
Species Does Not React With Pig

Tested Application ICC/IF, IHC-P

Host Mouse

Clonality Monoclonal

Clone NM106

Isotype IgG1, kappa

Target Name Nuclear Marker

Species Human

Immunogen Nuclei of HL60 cells.

Conjugation Un-conjugated

Application Instructions

Application table	Application	Dilution
	ICC/IF	1 - 2 μg/ml
	IHC-P	1 - 2 μg/ml
Application Note	IHC-P: Antigen Retrieval: Boil tissue section in 10 mM Citrate buffer (pH 6.0) for 10-20 min, followed by cooling at RT for 20 min. * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form Liquid

Purification Purification with Protein G.

Buffer PBS (pH 7.4), 0.05% Sodium azide and 0.1 mg/ml BSA.

Preservative 0.05% Sodium azide

Stabilizer 0.1 mg/ml BSA


Concentration 0.2 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed


before use.

Images




ARG56202 anti-Nuclear Marker antibody [NM106] IHC-P image

Immunohistochemistry: Formalin-fixed and paraffin-embedded Human tonsil stained with ARG56202 anti-Nuclear Marker antibody [NM106].




ARG56202 anti-Nuclear Marker antibody [NM106] IHC-P image

Immunohistochemistry: Formalin-fixed and paraffin-embedded Human tonsil stained with ARG56202 anti-Nuclear Marker antibody [NM106].



ARG56202 anti-Nuclear Marker antibody [NM106] IHC-P image

Immunohistochemistry: Formalin-fixed and paraffin-embedded Rat colon stained with ARG56202 anti-Nuclear Marker antibody [NM106].



ARG56202 anti-Nuclear Marker antibody [NM106] IHC-P image

Immunohistochemistry: Formalin-fixed and paraffin-embedded Rat lung stained with ARG56202 anti-Nuclear Marker antibody [NM106].