

ARG56782 anti-BD3 / beta Defensin 3 antibody (Biotin)

Package: 50 μg Store at: 4°C

Summary

Product Description	Biotin-conjugated Rabbit Polyclonal antibody recognizes BD3 / beta Defensin 3
Tested Reactivity	Hu
Tested Application	ELISA, WB
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Target Name	BD3 / beta Defensin 3
Species	Human
Immunogen	E.coli derived Recombinant Human BD-3. (GIINTLQKYY CRVRGGRCAV LSCLPKEEQI GKCSTRGRKC CRRKK)
Conjugation	Biotin
Alternate Names	DEFB-3; HBD3; Beta-defensin 103; Defensin, beta 103; HBP3; Defensin-like protein; hBD-3; HBP-3; Beta- defensin 3; BD-3; DEFB3; DEFB103

Application Instructions

Application table	Application	Dilution
	ELISA	Direct: 0.25 - 1.0 μg/ml Sandwich: 0.25 - 1.0 μg/ml with ARG56672 as a capture antibody
	WB	0.1 - 0.2 μg/ml
Application Note	* The dilutions indicate recomm should be determined by the sci	ended starting dilutions and the optimal dilutions or concentrations entist.

Properties

Form	Liquid
Purification	Purified by affinity chromatography.
Buffer	PBS (pH 7.2)
Concentration	1 mg/ml
Storage instruction	Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol	DEFB103A
Gene Full Name	defensin, beta 103A
Background	Defensins form a family of microbicidal and cytotoxic peptides made by neutrophils. Members of the defensin family are highly similar in protein sequence. This gene encodes defensin, beta 103, an antibiotic peptide which is induced by bacteria and interferon gamma, and which displays antimicrobial activity against S. aureus, S. pyogenes, P. aeruginosa, E. coli, and C. albicans. [provided by RefSeq, Oct 2014]
Function	Exhibits antimicrobial activity against Gram-positive bacteria S.aureus and S.pyogenes, Gram-negative bacteria P.aeruginosa and E.coli and the yeast C.albicans. Kills multiresistant S.aureus and vancomycin-resistant E.faecium. No significant hemolytic activity was observed. [UniProt]
Calculated Mw	8 kDa