

Product datasheet

info@arigobio.com

ARG59549 anti-SFTPA1 + SFTPA2 antibody

Package: 50 μg Store at: -20°C

Summary

Product Description Rabbit Polyclonal antibody recognizes SFTPA1 + SFTPA2

Tested Reactivity Hu, Ms, Rat
Tested Application IHC-Fr, IHC-P

Host Rabbit

Clonality Polyclonal

Isotype IgG

Target Name SFTPA1 + SFTPA2

Species Human

Immunogen Synthetic peptide corresponding to aa. 206-237 of Human SFTPA1/2.

(VNYTNWYRGEPAGRGKEQCVEMYTDGQWNDRN)

Conjugation Un-conjugated

Alternate Names SFTPA1B; SP-A; COLEC4; Pulmonary surfactant-associated protein A1; PSAP; PSPA; 35 kDa pulmonary

surfactant-associated protein; SFTP1; PSP-A; SPA; SPA1; Alveolar proteinosis protein; SP-A1; Collectin-4;

PSAP; PSPA; SP-A; SPA2; PSP-A; SFTP1; SP-2A; SPAII; COLEC5; SFTPA2B

Application Instructions

Application table	Application	Dilution
	IHC-Fr	0.5 - 1 μg/ml
	IHC-P	0.5 - 1 μg/ml
Application Note	IHC-P: Antigen Retrieval: By heat mediation. * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form Liquid

Purification Affinity purification with immunogen.

Buffer 0.9% NaCl, 0.2% Na2HPO4, 0.05% Sodium azide and 5% BSA.

Preservative 0.05% Sodium azide

Stabilizer 5% BSA

Concentration 0.5 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Bioinformation

Gene Symbol SFTPA1; SFTPA2

Gene Full Name surfactant protein A1; surfactant protein A2

Background This gene encodes a lung surfactant protein that is a member of a subfamily of C-type lectins called

collectins. The encoded protein binds specific carbohydrate moieties found on lipids and on the surface of microorganisms. This protein plays an essential role in surfactant homeostasis and in the defense against respiratory pathogens. Mutations in this gene are associated with idiopathic pulmonary fibrosis.

Alternate splicing results in multiple transcript variants. [provided by RefSeq, May 2010]

Function In presence of calcium ions, it binds to surfactant phospholipids and contributes to lower the surface

tension at the air-liquid interface in the alveoli of the mammalian lung and is essential for normal


respiration. [UniProt]

Calculated Mw SFTPA1 and SFTPA2: 26 kDa

PTM N-acetylated. [UniProt]


Cellular Localization Secreted, extracellular space, extracellular matrix. Secreted, extracellular space, surface film. [UniProt]

Images



ARG59549 anti-SFTPA1 + SFTPA2 antibody IHC-P image


Immunohistochemistry: Paraffin-embedded Mouse lung stained with ARG59549 anti-SFTPA1 + SFTPA2 antibody.



- 10


ARG59549 anti-SFTPA1 + SFTPA2 antibody WB image

Western blot: Rat Lung, Mouse Lung and A549 stained with ARG59549 anti-SFTPA1 + SFTPA2 antibody at 1:1000 dilution.




ARG59549 anti-SFTPA1 + SFTPA2 antibody IHC-P image

Immunohistochemistry: Paraffin-embedded Rat lung stained with ARG59549 anti-SFTPA1 + SFTPA2 antibody.



ARG59549 anti-SFTPA1 + SFTPA2 antibody IHC-P image

Immunohistochemistry: Paraffin-embedded Human lung cancer stained with ARG59549 anti-SFTPA1 + SFTPA2 antibody.



ARG59549 anti-SFTPA1 + SFTPA2 antibody IHC-Fr image

Immunohistochemistry: Frozen section of Rat lung stained with ARG59549 anti-SFTPA1 + SFTPA2 antibody.



ARG59549 anti-SFTPA1 + SFTPA2 antibody IHC-Fr image

Immunohistochemistry: Frozen section of Mouse lung stained with ARG59549 anti-SFTPA1 + SFTPA2 antibody.