

Product datasheet

info@arigobio.com

ARG63203 anti-FRAT2 / GSK3 antibody

Package: 100 μg Store at: -20°C

Summary

Product Description Goat Polyclonal antibody recognizes FRAT2 / GSK3

Tested Reactivity Hu
Tested Application WB
Host Goat

Clonality Polyclonal

Isotype IgG

Target Name FRAT2 / GSK3

Species Human

Immunogen C-GPDRIALQPSGSLL

Conjugation Un-conjugated

Alternate Names Frequently rearranged in advanced T-cell lymphomas 2; FRAT-2; GSK-3-binding protein FRAT2

Application Instructions

Application table	Application	Dilution
	WB	1 - 3 μg/ml

Application Note WB: Recommend incubate at RT for 1h.

st The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations

should be determined by the scientist.

Properties

Form Liquid

Purification Purified from goat serum by antigen affinity chromatography.

Buffer Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.

Preservative 0.02% Sodium azide

Stabilizer 0.5% BSA

Concentration 0.5 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links	GenelD: 23401 Human	
	Swiss-port # O75474 Human	
Background	The protein encoded by this intronless gene belongs to the GSK-3-binding protein family. Studies show that this protein plays a role as a positive regulator of the WNT signaling pathway. It may be upregulated in tumor progression. [provided by RefSeq, Jul 2008]	
Research Area	Cancer antibody; Developmental Biology antibody; Immune System antibody; Signaling Transduction antibody	

Images

Calculated Mw

24 kDa

