

ARG63320 anti-TRIM4 antibody

Package: 100 µg
Store at: -20°C

Summary

Product Description	Goat Polyclonal antibody recognizes TRIM4
Tested Reactivity	Hu
Tested Application	WB
Specificity	This antibody is expected to recognise both reported human isoforms (as represented by NP_148977 and NP_149082).
Host	Goat
Clonality	Polyclonal
Isotype	IgG
Target Name	TRIM4
Species	Human
Immunogen	C-ASLVIPPVTRDK
Conjugation	Un-conjugated
Alternate Names	E3 ubiquitin-protein ligase TRIM4; RING finger protein 87; RNF87; Tripartite motif-containing protein 4; EC 6.3.2.-

Application Instructions

Application table	Application	Dilution
	WB	1 µg/ml
Application Note	WB: Recommend incubate at RT for 1h. * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form	Liquid
Purification	Purified from goat serum by antigen affinity chromatography.
Buffer	Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.
Preservative	0.02% Sodium azide
Stabilizer	0.5% BSA
Concentration	0.5 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links [GeneID: 89122 Human](#)


[Swiss-port # Q9C037 Human](#)

Background The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. The protein localizes to cytoplasmic bodies. Its function has not been identified. Alternatively spliced transcript variants that encode different isoforms have been described.[provided by RefSeq, Jul 2010]

Research Area Cell Biology and Cellular Response antibody

Calculated Mw 57 kDa

Images



ARG63320 anti-TRIM4 antibody WB image

Western Blot: HepG2 lysate (RIPA buffer, 30µg total protein per lane) stained with ARG63320 anti-TRIM4 antibody at 1 µg/ml dilution.