

ARG63545 anti-Syntrophin gamma 2 antibody

Package: 100 μg Store at: -20°C

Summary

Product Description	Goat Polyclonal antibody recognizes Syntrophin gamma 2	
Tested Reactivity	Hu	
Tested Application	WB	
Host	Goat	
Clonality	Polyclonal	
lsotype	lgG	
Target Name	Syntrophin gamma 2	
Species	Human	
Immunogen	C-DSQSLARKYMYSS	
Conjugation	Un-conjugated	
Alternate Names	Syntrophin-5; G2SYN; SYN5; Gamma-2-syntrophin	

Application Instructions

Application table	Application	Dilution
	WB	0.1 - 0.3 μg/ml
Application Note	WB: Recommend incubate at RT for 1h. * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form	Liquid	
Purification	Purified from goat serum by antigen affinity chromatography.	
Buffer	Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.	
Preservative	0.02% Sodium azide	
Stabilizer	0.5% BSA	
Concentration	0.5 mg/ml	
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.	
Note	For laboratory research only, not for drug, diagnostic or other use.	

Bioinformation

Database links	GenelD: 54221 Human		
	Swiss-port # Q9NY99 Human		
Background	This gene encodes a protein belonging to the syntrophin family. Syntrophins are cytoplasmic peripheral membrane proteins that bind to components of mechanosenstive sodium channels and the extreme carboxy-terminal domain of dystrophin and dystrophin-related proteins. The PDZ domain of this protein product interacts with a protein component of a mechanosensitive sodium channel that affects channel gating. Absence or reduction of this protein product has been associated with Duchenne muscular dystrophy. There is evidence of alternative splicing yet the full-length nature of these variants has not been described. [provided by RefSeq, Jul 2008]		
Research Area	Neuroscience antibody		
Calculated Mw	60 kDa		

Images

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa	ARG63545 anti-Syntrophin gamma 2 antibody WB image Western Blot: Human Duodenum lysate (35 μg protein in RIPA buffer) stained with ARG63545 anti-Syntrophin gamma 2 antibody at 0.3 μg/ml dilution.
 15kDa	