

# Product datasheet

info@arigobio.com

# ARG63602 anti-DDAH1 antibody

Package: 100 μg Store at: -20°C

#### **Summary**

Product Description Goat Polyclonal antibody recognizes DDAH1

Tested Reactivity Hu
Predict Reactivity Cow
Tested Application WB

Specificity This antibody is expected to recognize both reported isoforms (NP\_036269.1and NP\_001127917.1).

Host Goat

Clonality Polyclonal

Isotype IgG

Target Name DDAH1
Species Human

 Immunogen
 TCCSVLINKKVDS

 Conjugation
 Un-conjugated

Alternate Names Dimethylarginine dimethylaminohydrolase 1; DDAHI; G; DDAH; EC 3.5.3.18; N; Dimethylargininase-1;

HEL-S-16; DDAH-1

# **Application Instructions**

Application table	Application	Dilution
	WB	0.1 - 0.3 μg/ml
Application Note	WB: Recommend incubate at RT for 1h.  * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations	
	should be determined by the scientist.	

#### **Properties**

Form Liquid

Purification Purified from goat serum by antigen affinity chromatography.

Buffer Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.

Preservative 0.02% Sodium azide

Stabilizer 0.5% BSA

Concentration 0.5 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

### Bioinformation

Database links <u>GeneID: 23576 Human</u>

Swiss-port # O94760 Human

Background This gene belongs to the dimethylarginine dimethylaminohydrolase (DDAH) gene family. The encoded

enzyme plays a role in nitric oxide generation by regulating cellular concentrations of methylarginines,

which in turn inhibit nitric oxide synthase activity. [provided by RefSeq, Jul 2008]

Research Area Cell Biology and Cellular Response antibody; Neuroscience antibody

Calculated Mw 31 kDa

## **Images**

