

Product datasheet

info@arigobio.com

ARG64336 anti-SCGB2A2 / Mammaglobin A antibody

Package: 100 μg Store at: -20°C

Summary

Product Description Goat Polyclonal antibody recognizes SCGB2A2 / Mammaglobin A

Tested Reactivity Hu

Tested Application IHC-P

Host Goat

Clonality Polyclonal

Isotype IgG

Target Name SCGB2A2 / Mammaglobin A

Species Human

 Immunogen
 C-NPQVSKTEYKEL

 Conjugation
 Un-conjugated

Alternate Names UGB2; Secretoglobin family 2A member 2; MGB1; Mammaglobin-A; Mammaglobin-1

Application Instructions

Application table	Application	Dilution
	IHC-P	4 - 6 μg/ml
• •	IHC-P: Antigen Retrieval: Steam tissue section in Citrate buffer (pH 6.0). * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations.	

* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations

should be determined by the scientist.

Properties

Form Liquid

Purification Purified from goat serum by antigen affinity chromatography.

Buffer Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.

Preservative 0.02% Sodium azide

Stabilizer 0.5% BSA

Concentration 0.5 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links GeneID: 4250 Human

Swiss-port # Q13296 Human


Gene Symbol SCGB2A2

Gene Full Name secretoglobin, family 2A, member 2

Research Area Controls and Markers antibody

Calculated Mw 10 kDa

Images



ARG64336 anti-SCGB2A2 / Mammaglobin A antibody IHC-P image

Immunohistochemistry: Paraffin-embedded Human breast tissue. Antigen Retrieval: Steam tissue section in Citrate buffer (pH 6.0). Tissue section was stained with ARG64336 anti-SCGB2A2 / Mammaglobin A antibody at 4 $\mu g/ml$ dilution followed by APstaining.