

Product datasheet

info@arigobio.com

ARG64889 anti-SRX1 antibody

Package: 100 μg Store at: -20°C

Summary

Product Description Goat Polyclonal antibody recognizes SRX1

Tested Reactivity Hu

Predict Reactivity Ms, Rat, Cow, Pig

Tested Application WB
Host Goat

Clonality Polyclonal

Isotype IgG

Target Name SRX1

Species Human

Immunogen C-KVQSLVDTIREDPD

Conjugation Un-conjugated

Alternate Names EC 1.8.98.2; Sulfiredoxin-1; Npn3; SRX; C20orf139; SRX1

Application Instructions

Application table	Application	Dilution
	WB	0.5 - 1.5 μg/ml
Application Note	WB: Recommend incubate at RT for 1h. * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form Liquid

Purification Purified from goat serum by antigen affinity chromatography.

Buffer Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.

Preservative 0.02% Sodium azide

Stabilizer 0.5% BSA

Concentration 0.5 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links <u>GeneID: 140809 Human</u>

Swiss-port # Q9BYN0 Human

Gene Symbol SRXN1

Gene Full Name sulfiredoxin 1

Function Contributes to oxidative stress resistance by reducing cysteine-sulfinic acid formed under exposure to

oxidants in the peroxiredoxins PRDX1, PRDX2, PRDX3 and PRDX4. Does not act on PRDX5 or PRDX6. May catalyze the reduction in a multi-step process by acting both as a specific phosphotransferase and

a thioltransferase. [UniProt]

Research Area Cell Biology and Cellular Response antibody; Metabolism antibody

Calculated Mw 14 kDa

Images



ARG64889 anti-SRX1 antibody WB image

Western Blot: Human Kidney lysate (35 μ g protein in RIPA buffer) stained with ARG64889 anti-SRX1 antibody at 0.5 μ g/ml dilution.