

ARG65830 anti-Granzyme K antibody [24C3] (FITC)

Package: 100 µl
Store at: 4°C

Summary

| | |
|---------------------|--|
| Product Description | FITC-conjugated Mouse Monoclonal antibody [24C3] recognizes Granzyme K |
| Tested Reactivity | Hu |
| Tested Application | FACS |
| Specificity | The monoclonal antibody recognizes granzyme K expressed in activated T cells and NK cells. |
| Host | Mouse |
| Clonality | Monoclonal |
| Clone | 24C3 |
| Isotype | IgG1 |
| Target Name | Granzyme K |
| Species | Human |
| Immunogen | Human Granzyme K |
| Conjugation | FITC |
| Alternate Names | in-3; Granzyme K; NK-Tryp-2; TRYP2; NK-tryptase-2; EC 3.4.21.-; Granzyme-3 |

Application Instructions

| | | |
|-------------------|--|-----------------|
| Application table | Application | Dilution |
| | FACS | Assay-dependent |
| Application Note | * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist. | |

Properties

| | |
|---------------------|--|
| Form | Liquid |
| Purification | Purified. |
| Buffer | PBS (pH 7.2), 0.09% Sodium azide and 1% BSA. |
| Preservative | 0.09% Sodium azide |
| Stabilizer | 1% BSA |
| Storage instruction | Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use. |
| Note | For laboratory research only, not for drug, diagnostic or other use. |

Bioinformation

| | |
|----------------|---|
| Database links | GeneID: 3003 Human Swiss-port # P49863 Human |
| Gene Symbol | GZMK |
| Gene Full Name | granzyme K (granzyme 3; tryptase II) |
| Background | This gene product is a member of a group of related serine proteases from the cytoplasmic granules of cytotoxic lymphocytes. Cytolytic T lymphocytes (CTL) and natural killer (NK) cells share the remarkable ability to recognize, bind, and lyse specific target cells. They are thought to protect their host by lysing cells bearing on their surface 'nonself' antigens, usually peptides or proteins resulting from infection by intracellular pathogens. The protein described here lacks consensus sequences for N-glycosylation present in other granzymes. [provided by RefSeq, Jul 2008] |
| Calculated Mw | 29 kDa |