

ARG66287 anti-CD66b antibody [6/40c]

Package: 100 µg
Store at: -20°C

Summary

Product Description	Mouse Monoclonal antibody [6/40c] recognizes CD66b
Tested Reactivity	Hu
Tested Application	ELISA, FACS, ICC/IF, IHC-Fr, IHC-P, IP, WB
Host	Mouse
Clonality	Monoclonal
Clone	6/40c
Isotype	IgG1, kappa
Target Name	CD66b
Species	Human
Immunogen	Recombinant Human CD66b.
Conjugation	Un-conjugated
Alternate Names	CD67; NCA-95; CD67 antigen; CGM6; CD66b; Carcinoembryonic antigen-related cell adhesion molecule 8; Carcinoembryonic antigen CGM6; Non-specific cross-reacting antigen NCA-95; CD antigen CD66b

Application Instructions

Application table	Application	Dilution
	ELISA	Assay-dependent
	FACS	Assay-dependent
	ICC/IF	Assay-dependent
	IHC-Fr	Assay-dependent
	IHC-P	Assay-dependent
	IP	Assay-dependent
	WB	Assay-dependent
	Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.

Properties


Form	Liquid
Purification	Purified
Buffer	PBS (pH 7.2) and 0.09% Sodium azide.
Preservative	0.09% Sodium azide

Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol	CEACAM8
Gene Full Name	carcinoembryonic antigen-related cell adhesion molecule 8
Calculated Mw	38 kDa

Images



ARG66287 anti-CD66b antibody [6/40c] IHC-P image

Immunohistochemistry: Human ovarian cancer stained with ARG66287 anti-CD66b antibody [6/40c] at 1:4000 dilution.

From Xiaomeng Zhou et al. (2023), [doi: 10.21203/rs.3.rs-3202355/v1](https://doi.org/10.21203/rs.3.rs-3202355/v1), Fig. 4A.