

Product datasheet

info@arigobio.com

ARG70169
Mouse IL18 recombinant protein (Active) (His-tagged, C-ter)

Package: 100 μg, 20 μg

Store at: -20°C

Summary

Product Description E. coli expressed, His-tagged (C-ter) Active Mouse IL18 recombinant protein

Tested Application SDS-PAGE

Target Name IL18

Species Mouse

A.A. Sequence Asn36 - Ser192

Expression System E. coli

Activity Active

Activity Note Determined by its ability to induce IFN gamma secretion in KG-1 cells. The ED50 for this effect is < 0.5

μg/mL.

Alternate Names Iboctadekin; Interferon gamma-inducing factor; Interleukin-18; IL-18; IFN-gamma-inducing factor; IL-1

gamma; IGIF; IL-1g; Interleukin-1 gamma; IL1F4

Properties

Form Powder

Purification Note Endotoxin level is less than 0.1 EU/µg of the protein, as determined by the LAL test.

Purity > 98% (by SDS-PAGE)

Buffer PBS (pH 8.0)

Reconstitution It is recommended to reconstitute the lyophilized protein in sterile water to a concentration not less

than 200 $\mu g/mL$ and incubate the stock solution for at least 20 min at room temperature to make sure

the protein is dissolved completely.

Storage instruction For long term, lyophilized protein should be stored at -20°C or -80°C. After reconstitution, aliquot and

store at -20°C or -80°C for up to one month. Storage in frost free freezers is not recommended. Avoid

repeated freeze/thaw cycles. Suggest spin the vial prior to opening.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol IL18

Gene Full Name interleukin 18

Background The protein encoded by this gene is a proinflammatory cytokine that augments natural killer cell

activity in spleen cells, and stimulates interferon gamma production in T-helper type I cells.

Alternatively spliced transcript variants encoding different isoforms have been found for this


gene.[provided by RefSeq, Aug 2011]

Function Augments natural killer cell activity in spleen cells and stimulates interferon gamma production in T-

helper type I cells. [UniProt]

PTM The pro-IL-18 precursor is processed by CASP1 or CASP4 to yield the active form. [UniProt]

Images



ARG70169 Mouse IL18 recombinant protein (Active) (His-tagged, Cter) SDS-PAGE image $\,$

SDS-PAGE analysis of ARG70169 Mouse IL18 recombinant protein (Active) (His-tagged, C-ter).