

Product datasheet

info@arigobio.com

ARG82326 Human CCL4 / MIP1 beta ELISA Kit

Package: 96 wells Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG82326-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG82326-002	Standard	2 X 10 ng/vial	4°C
ARG82326-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG82326-004	Antibody conjugate concentrate (100X)	1 vial (100 μl)	4°C
ARG82326-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG82326-006	HRP-Streptavidin concentrate (100X)	1 vial (100 μl)	4°C
ARG82326-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG82326-008	25X Wash buffer	20 ml	4°C
ARG82326-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG82326-010	STOP solution	10 ml (Ready to use)	4°C
ARG82326-011	Plate sealer	4 strips	Room temperature

Summary

•		
Product Description	ARG82326 Human CCL4 / MIP1 beta ELISA Kit is an Enzyme Immunoassay kit for the quantification of Human CCL4 / MIP1 beta in serum, plasma (EDTA, heparin, citrate) and cell culture supernatants.	
Tested Reactivity	Hu	
Tested Application	ELISA	
Target Name	et Name CCL4 / MIP1 beta	
Conjugation	HRP	
Conjugation Note	njugation Note Substrate: TMB and read at 450 nm.	
Sensitivity	3.9 pg/ml	
Sample Type	le Type Serum, plasma (EDTA, heparin, citrate) and cell culture supernatants.	
Standard Range	7.8 - 500 pg/ml	
Sample Volume	100 μΙ	
Precision	Intra-Assay CV: 5.2% Inter-Assay CV: 6.2%	

Application Instructions

Assay Time ~ 5 hours

Properties

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol CCL4

Gene Full Name C-C motif chemokine ligand 4

Background The protein encoded by this gene is a mitogen-inducible monokine and is one of the major HIV-

suppressive factors produced by CD8+ T-cells. The encoded protein is secreted and has chemokinetic

and inflammatory functions. [provided by RefSeq, Dec 2012]

Function Monokine with inflammatory and chemokinetic properties. Binds to CCR5. One of the major HIV-

suppressive factors produced by CD8+ T-cells. Recombinant MIP-1-beta induces a dose-dependent inhibition of different strains of HIV-1, HIV-2, and simian immunodeficiency virus (SIV). The processed form MIP-1-beta(3-69) retains the abilities to induce down-modulation of surface expression of the chemokine receptor CCR5 and to inhibit the CCR5-mediated entry of HIV-1 in T-cells. MIP-1-beta(3-69)


is also a ligand for CCR1 and CCR2 isoform B. [UniProt]

Highlight Related products:

CCL4 antibodies; CCL4 ELISA Kits;
New ELISA data calculation tool:
Simplify the ELISA analysis by GainData

Cellular Localization Secreted. [UniProt]

Images



ARG82326 Human CCL4 / MIP1 beta ELISA Kit standard curve image

ARG82326 Human CCL4 / MIP1 beta ELISA Kit results of a typical standard run with optical density reading at 450 nm.